NSN 6830-01-473-7514 Hudson Technologies, Inc CAGE: 65147 SPE4A6-16-D-0226 7DSQ0



Oxygen (19.5 - 23.5%) in balance Nitrogen

Safety Data Sheet 50223

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 09/09/2014 Revision date: 09/09/2014 Version: 1.0

SECTION 1: Identification of the	substance/mixture and of the company/undertaking
	substance/mixture and or the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: Oxygen (19.5 - 23.5%) in balance Nitrogen
Replaces ISC MSDS No.	1810-0271, 1810-0693, 1810-1584, 1810-2320, 1810-7565, 1810-9247
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
Use of the substance/mixture	: Test gas/Calibration gas.
1.3. Details of the supplier of the safety o	iety data sheet
U.S. Supplier: Industrial Scientific Corporati 1 Life Way Pittsburgh, PA 15205-7500 Phone (412) 788-4353 TOLL-FREE 800-DETECTS Fax (412) 788-8353	on
MANUFACTURER: CALGAZ 821 Chesapeake Drive Cambridge, MD 21613	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300 Internationally: 1-703-527-3887
SECTION 2: Hazards identification	n
2.1. Classification of the substance	or mixture
Classification (GHS-US)	
Compressed gas H280	
2.2. Label elements	
GHS-US labeling Hazard pictograms (GHS-US)	
Signal word (CHS US)	GHS04
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H280 - Contains gas under pressure; may explode if heated
Precautionary statements (GHS-US)	 P202 - Do not handle until all safety precautions have been read and understood P271 - Use only outdoors or in a well-ventilated area P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P313 - Get medical advice/attention CGA-PG05 - Use a back flow preventive device in the piping CGA-PG21 - Open valve slowly CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F) P403 - Store in a well-ventilated place
2.3. Other hazards	

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Nitrogen	(CAS No) 7727-37-9	76.5 - 80.5	Compressed gas, H280
Oxygen	(CAS No) 7782-44-7	19.5 - 23.5	Ox. Gas 1, H270 Compressed gas, H280

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Adverse effects not expected from this product. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Adverse effects not expected from this product.
First-aid measures after skin contact	: Adverse effects not expected from this product.
First-aid measures after eye contact	: Adverse effects not expected from this product.
First-aid measures after ingestion	: Ingestion is not considered a potential route of exposure.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries after inhalation	: None under normal use.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
4.3. Indication of any immediate medica	Il attention and special treatment needed

If you feel unwell, seek medical advice.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use water jet to extinguish.
5.2. Special hazards arising from the su	bstance or mixture
Fire hazard	: The product is not flammable.
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: None known.
5.3. Advice for firefighters	
Firefighting instructions	In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.
Protection during firefighting	 Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTIO	SECTION 6: Accidental release measures			
6.1.	Personal precautions, protective equipment and emergency procedures			
General r	neasures	: Ensure adequate ventilation.		
6.1.1.	For non-emergency personnel			
Protective	e equipment	: Wear protective equipment consistent with the	e site emergency plan.	
Emergen	cy procedures	: Escape the danger area by the closest safe ro premises. Keep containers closed. Mark the c		wind.
6.1.2.	For emergency responders			
Protective	e equipment	: Standard protective clothing and equipment (fighters. Equip cleanup crew with proper prote		ire
Emergen	cy procedures	: Evacuate and limit access. Ventilate area.		
09/09/2014	4	EN (English US)	SDS ID: 50223	2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Mo	onday, March 26, 2012 / Rules and Regulations
6.2. Environmental precautions	
Try to stop release if safe to do so.	
6.3. Methods and material for conta	ainment and cleaning up
For containment	: Try to stop release if safe to do so.
Methods for cleaning up	: Dispose of this material and its container in accordance with local regulations.
6.4. Reference to other sections	
See also Sections 8 and 13.	
SECTION 7: Handling and stora	ge
7.1. Precautions for safe handling	
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage conditions	: Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in use. Protect cylinder from physical damage. Store in well ventilated area.
Incompatible products	: None known.
Incompatible materials	: Flammable materials.
7.3. Specific end use(s)	
Test gas/Calibration gas.	
SECTION 8: Exposure controls/	personal protection
8.1. Control parameters	
Nitrogen (7727-37-9)	
8.2. Exposure controls	
Appropriate engineering controls	 Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Ensure exposure is below occupational exposure limits. Consider work permit system e.g. for maintenance activities.
Hand protection	: Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing, e.g lab coats, coveralls or flame resistant clothing.

- : Wear suitable protective clothing, e.g. lab coats, coveralls or flame resistant clothing.
 - : None necessary during normal and routine operations. See sections 5 & 6.
- Respiratory protection Thermal hazard protection : None necessary during normal and routine operations. Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for Environmental exposure controls ·

specific methods for waste gas treatment. None necessary. Other information : Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

9.1. Information on basic physical and	chemical properties
Physical state	: Gas
Molecular mass	: Not applicable for gas-mixtures.
Color	: Mixture contains one or more component(s) which have the following colour(s): Colourless.
Odor	 There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour(s): No odour warning properties.
Odor threshold	: No data available
pH	: Not applicable for gas-mixtures.
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: Not applicable for gas-mixtures.
Melting point	: No data available
Freezing point	: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: Not applicable.
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Relative gas density	: Lighter or similar to air.
Solubility	 Water: Solubility in water of component(s) of the mixture : 39 mg/l 20 mg/l
Log Pow	: Not applicable for gas-mixtures.
Log Kow	: Not applicable for gas-mixtures.
Viscosity, kinematic	: Not applicable.
Viscosity, dynamic	: Not applicable.
Explosive properties	: Not applicable.
Oxidizing properties	: None.
Explosive limits	: No data available
9.2. Other information	
Additional information	: None.

SECTION 10: Stability and reactivity			
10.1.	Reactivity		
None kno	own.		
10.2.	Chemical stability		
Stable ur	nder normal conditions.		
10.3.	Possibility of hazardous reactions		
None.			
10.4.	Conditions to avoid		
None.			
10.5.	Incompatible materials		
Flammable materials.			
10.6.	Hazardous decomposition products		
Under normal conditions of storage and use hazardous decomposition products should not be produced.			
SECTION 11: Toxicological information			
11.1.	Information on toxicological effects		

Acute toxicity

: Not classified

Oxygen (7782-44-7)	
LC50 inhalation rat (ppm)	400000 ppm/4h
Nitrogen (7727-37-9)	
LC50 inhalation rat (ppm)	410000 ppm/4h
Skin corrosion/irritation	: Not classified
	pH: Not applicable for gas-mixtures.
Serious eye damage/irritation	: Not classified
	pH: Not applicable for gas-mixtures.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified No known effects from this product.
Aspiration hazard	: Not classified Not applicable for gases and gas-mixtures.
Symptoms/injuries after inhalation	: None under normal use.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.

SECTION 12: Ecological information		
12.1. Toxicity		
	: No ecological damage caused by this product.	
12.2. Persistence and degradability		
Oxygen (19.5 - 23.5%) in balance Nitrogen		
Persistence and degradability	No data available.	
Oxygen (7782-44-7)		
Persistence and degradability	No ecological damage caused by this product.	
Nitrogen (7727-37-9)		
Persistence and degradability	No ecological damage caused by this product.	
12.3. Bioaccumulative potential		
Oxygen (19.5 - 23.5%) in balance Nitrogen		
Log Pow	Not applicable for gas-mixtures.	
Log Kow	Not applicable for gas-mixtures.	
Bioaccumulative potential	No data available.	
Oxygen (7782-44-7)		
Log Pow	Not applicable for inorganic gases.	
Bioaccumulative potential	No ecological damage caused by this product.	
Nitrogen (7727-37-9)		
Log Pow	Not applicable for inorganic gases.	
Bioaccumulative potential	No ecological damage caused by this product.	
12.4. Mobility in soil		
Oxygen (19.5 - 23.5%) in balance Nitrogen		
Mobility in soil	No data available.	
Oxygen (7782-44-7)		
Ecology - soil	No ecological damage caused by this product.	
Nitrogen (7727-37-9)		
Ecology - soil	No ecological damage caused by this product.	
12.5. Other adverse effects		
Effect on ozone layer	: None.	
Effect on the global warming	: No known ecological damage caused by this product.	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Contact supplier if guidance is reguired. May be vented to atmosphere. Do not discharge into	

: Contact supplier if guidance is required. May be vented to atmosphere. Do not discharge into any place where its accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Waste disposal recommendations	: Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more guidance on suitable disposal methods.
SECTION 14: Transport information	
In accordance with DOT	
Transport document description	: UN1956 Compressed gas, n.o.s. (Oxygen, Nitrogen), 2.2
UN-No.(DOT)	: 1956
DOT NA no.	: UN1956
DOT Proper Shipping Name	: Compressed gas, n.o.s.
	(Oxygen, Nitrogen)
Department of Transportation (DOT) Hazard Classes	: 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115
Hazard labels (DOT)	2.2 - Non-flammable gas
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306;307
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 302;305
DOT Packaging Bulk (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail	: 314;315 : 75 kg
(49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers: - Ensure there is adequate ventilation Ensure that containers are firmly secured Ensure cylinder valve is closed and not leaking Ensure valve outlet cap nut or plug (where provided) is correctly fitted.
ADR	
Transport document description	:
Fransport by sea	
JN-No. (IMDG)	: 1002
Proper Shipping Name (IMDG)	: AIR, COMPRESSED
Class (IMDG)	2.2 - Non-flammable, non-toxic gases
	. 2.2 - Northanninavit, northoxic yasts
Air transport	
JN-No.(IATA)	: 1002
Proper Shipping Name (IATA)	: AIR, COMPRESSED
Class (IATA)	: 2
SECTION 15: Regulatory information	
15.1. US Federal regulations	
No additional information available	
15.2. International regulations	
CANADA	
Oxygen (7782-44-7)	
Listed on the Canadian DSL (Domestic Sustand	ces List)
19/09/2014	EN (English US) SDS ID: 50223 6/7
	ENTERONSO US) SUS 07/07/23 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Oxygen (7782-44-7)		
WHMIS Classification	Class A - Compressed Gas Class C - Oxidizing Material	
Nitrogen (7727-37-9)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class A - Compressed Gas	

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

No additional information available

15.3. US State regulations

Oxygen (7782-44-7)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Nitrogen (7727-37-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other information

Indication of changes : Revised safety data sheet in accordance with OSHA final rule on GHS implementation promulgated March 26, 2012. Revision date : 09/09/2014 Other information : This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.

Full text of H-phrases: see section 16:

Compressed gas	Gases under pressure Compressed gas
Ox. Gas 1	Oxidizing gases Category 1
H270	May cause or intensify fire; oxidizer
H280	Contains gas under pressure; may explode if heated

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this gas mixture. To the best of Calgaz's knowledge, the information contained herein is reliable and accurate as of this date; however, accruacy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.