

25-Jan-2017

ACCORDING TO US CFR 1910.1200

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	CARBON DIOXIDE
Synonyms	Carbonic, Carbonic Anhydride, R744, CO2, Carbon Dioxide USP
CAS No.	124-38-9
EC No.	204-696-9
1.2 Relevant identified uses of the	ne substance or mixture and uses advised against
Identified Use(s)	Industrial gas.
Uses Advised Against	Not known.
1.3 Details of the supplier of the	safety data sheet
Company Identification	Hudson Technologies Company
Address	PO Box 1541
	One Blue Hill Plaza
	Pearl River, New York
	USA
Postal code	10965
Telephone:	+1 (800) 953 2244
Fax	+1 (845) 512 6070
E-mail	information@hudsontech.com
1.4 Emergency telephone numb	er
Company	+1 (800) 501 4376
CHEMTREC (U.S.)	+1 (800) 424 9300
INTERNATIONAL	+1 (703) 527 3887



25-Jan-2017

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substa	nce or mixture
US CFR 1910.1200	Gases under pressure; Press. Gas; Liquefied gas.
2.2 Label elements	
Product Name	CARBON DIOXIDE
Hazard Pictogram(s)	\wedge
	GHS04
Signal Word(s)	Warning.
Hazard Statement(s)	H280: Contains gas under pressure; may explode if heated.
	OSHA-H01: MAY DISPLACE OXYGEN AND CAUSE RAPID
	SUFFOCATION.
	CGA-HG01: MAY CAUSE FROSTBITE.
	CGA-HG03: MAY INCREASE RESPIRATION AND HEART RATE.
Precautionary Statement(s)	P202: Do not handle until all safety precautions have been read and
	understood.
	P261: Avoid breathing gas.
	P262: Do not get in eyes, on skin, or on clothing.
	P271+P403: Use and store only outdoors or in a well-ventilated
	place.
	P302, P336, P315: IF ON SKIN: Thaw frosted parts with lukewarm
	water. Do not rub affected area. Get immediate medical
	advice/attention.
	P410+P403: Protect from sunlight. Store in a well-ventilated place.
2.3 Other hazards	
	May cause asphyxiation when concentrations are sufficient to
	reduce oxygen below safe breathing levels.
	May cause frost-bite.



25-Jan-2017

2.4 Additional Information

CGA-PG05: Use a back flow preventive device in the piping.

CGA-PG10: Use only with equipment rated for cylinder pressure.

CGA-PG06: Close valve after each use and when empty.

CGA-PG02: Protect from sunlight when ambient temperature exceeds 52 $^{\circ}$ C (125 $^{\circ}$ F).

CGA-PG27: Read and follow the Safety Data Sheet (SDS) before use.

This SDS is available in languages other than English.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS	Common Names	CAS No.	%W/W	Hazard	Hazard
INGREDIENT(S)				Statement(s)	Pictogram(s)
	Carbonic, Carbon Dioxide, Carbonic Anhydride, R744, CO2	124-38-9		Press. Gas, Liquefied gas; H280	GHS04

4. SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in
	a position comfortable for breathing. Administer oxygen if
	necessary. If breathing has stopped, apply artificial respiration.
Skin Contact	Flush skin with large amounts of water. Thaw frosted parts with
	lukewarm water. Do no rub affected area. If symptoms persist,
	obtain medical attention.
Eye Contact	Flush eyes with water for at least 15 minutes while holding eyelids
	open. If symptoms persist, obtain medical attention.
Ingestion	Unlikely route of exposure.
4.2 Most important symptoms ar	nd effects, both acute and delayed
	Inhalation:
	High concentrations: Headache, Dizziness, Confusion, Loss of
	coordination, Nausea, Drowsiness, Unconsciousness.



25-Jan-2017

Low concentrations: Increased respiration, Headache.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

Non-hammable.	
5.1 Extinguishing media	
Suitable Extinguishing media	As appropriate for surrounding fire.
Unsuitable extinguishing media	None.
5.2 Special hazards arising from	the substance or mixture
	Contains gas under pressure; may explode if heated. Decomposes
	in a fire giving off toxic fumes: Carbon monoxide.
5.3 Advice for fire-fighters	
	Fire fighters should wear complete protective clothing including
	self-contained breathing apparatus. If it is safe to do so, containers
	should be removed from fire area because they are likely to rupture
	under fire conditions. Keep containers cool by spraying with water if
	exposed to fire.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures	
	Evacuate area. Ensure adequate ventilation. Avoid breathing gas.
	Wear suitable respiratory protection.
6.2 Environmental precautions	
	Do not release large quantities into the surface water or into drains.
6.3 Methods and material for cor	ntainment and cleaning up
	Allow small spillages to evaporate provided there is adequate
	ventilation.
6.4 Reference to other sections	
	See Also Section 8, 13.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Provide adequate ventilation. Avoid breathing gas. Wear suitable



25-Jan-2017

respiratory protection. Do not drag, roll, slide or drop cylinders. Use
a suitable hand truck design for cylinder movement. Never attempt
to lift a cylinder by its cap; the cap is intended solely to protect the
valve. Never insert an object into valve cap openings. Doing so
may damage valve causing a leak to occur. Secure cylinders in an
upright position at all times, close all valves when not in use. Keep
closed even when empty. Wash hands thoroughly after handling.
Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Protect from sunlight. Store in a well-ventilated place.
<122°F (<50°C)
Stable under normal conditions.
None known.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	Note
		ppm)	mg/m³)	(ppm)	(mg/m³)	
Carbon	124-38-9	5000	9000	30000	54000	NIOSH
dioxide						
Carbon	124-38-9	5 000	9 000			OSHA
dioxide						
Remark	Footnote					

NIOSH National Institute for Occupational Safety and Health

OSHA Occupational Safety and Health Administration

8.2 Exposure controls



25-Jan-2017

Appropriate engineering controls Ensure adequate ventilation.

Personal protection equipment

Wear suitable eye/face protection.

Wear suitable respiratory protective equipment if exposure to high

Eye Protection

Wear suitable gloves.

levels of material is likely.

Skin protection

Respiratory protection

Thermal hazards

Not applicable.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Gas.
	Color: Colorless.
Odor	Odorless.
Odor threshold	Not established.
pН	Not applicable.
Melting point/freezing point	-69.8°F (-56.6°C)
Initial boiling point and boiling	-109.3°F (-78.5°C)
range	
Flash Point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or	Not applicable.



25-Jan-2017

explosive limits	
Vapor pressure	57.3bar @ 20°C (68°F)
Vapor density	1.52 (Air = 1)
Density	0.0018g/cm³ @ 20°C (68°F)
Relative density	1.52
Solubility(ies)	Solubility (Water): Soluble.
	Solubility (Other): Not available.
Partition coefficient: n-	0.83
octanol/water	
Auto-ignition temperature	Not applicable.
Decomposition Temperature (°C) Not applicable.
Viscosity	Not applicable.
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
9.2 Other information	
	None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	
	Stable under normal conditions.
10.2 Chemical Stability	
	Stable under normal conditions.
10.3 Possibility of hazardous rea	ctions
	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	
	Keep away from heat and direct sunlight.
10.5 Incompatible materials	
	None known.
10.6 Hazardous decomposition product(s)	
	No hazardous decomposition products known.



25-Jan-2017

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects		
Acute toxicity - Ingestion	Low acute toxicity.	
Acute toxicity - Skin Contact	Low acute toxicity.	
Acute toxicity - Inhalation	Low acute toxicity.	
Skin corrosion/irritation	Non-irritant.	
Serious eye damage/irritation	Non-irritant.	
Skin sensitization data	Not classified.	
Respiratory sensitization data	Not classified.	
Germ cell mutagenicity	There is no evidence of mutagenic potential.	
Carcinogenicity	No evidence of carcinogenicity.	
Reproductive toxicity	Not classified.	
Lactation	Not classified.	
STOT - single exposure	None anticipated.	
STOT - repeated exposure	None anticipated.	
Aspiration hazard	Not classified.	
11.2 Other information		
Not known.		

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	
Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment	Not classified.
Compartment	
Toxicity - Terrestrial	Not classified.
Compartment	
12.2. Persistence and Degradation	on
	No adverse ecological effects are expected.
12.3. Bioaccumulative potential	
	No adverse ecological effects are expected.
12.4. Mobility in soil	



25-Jan-2017

Not applicable.

12.5 Other adverse effects

Carbon dioxide: May contribute to global warming.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	
	Containers must not be punctured or destroyed by burning, even
	when empty. Refer to manufacturer/supplier for information on
	recovery/recycling.
13.2 Additional Information	
	Disposal should be in accordance with local, state or national
	legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number	
UN No.	1013
14.2 UN proper shipping name	
UN proper shipping name	CARBON DIOXIDE
14.3 Transport hazard class(es)	
ADR/RID Class	2.2
IMDG Class	2.2
IMDG EMS	Not available
ICAO/IATA	
Excepted Quantities	E1
Passenger and Cargo Aircraft	
Limited Quantities Packing	
Instructions	
Cargo Aircraft Limited Quantities	
Max net Qty	
Special Provisions	Not applicable
Emergency Response	2L
Guidebook (ERG) Code	
ADR Classification Code	2A
ADR HIN	20
ADR Transport Category	3
Tunnel Restriction Code	C/E
Emergency Action Code	2T



25-Jan-2017

Advice on Additional Personal	Not applicable
Protection (APP)	
14.4 Packing group	
Packing group	Not applicable
Labels	2.2
	NOHFLAMMABLE GAS
Special Provisions	584 653
Limited Quantities	120 m
Excepted Quantities	E1
Mixed Packing Instructions for	P200
Packages	
Special Packing Provisions for	Not applicable
Packages	
Mixed Packing Instructions for	MP9
Packages	
14.5 Environmental hazards	
Environmental hazards	Not classified as a Marine Pollutant.
14.6 Special precautions for user	
Special precautions for user	Not known.
	to Annex II of MARPOL 73/78 and the IBC Code
Packing Instructions for Portable	(M)
Tanks	
Special Provisions for Portable	Not applicable
Tanks	
Tank Code for Tanks	PxBN(M)
Special Provisions for Tanks	TA4 TT9
Vehicle for Tank Carriage	AT
Special Provisions for Carriage -	Not applicable
Packages	
Special Provisions for Carriage -	Not applicable
Bulk	
Special Provisions for Carriage -	CV9 CV10 CV36



25-Jan-2017

Loading, Unloading and Handling

Special Provisions for Carriage - Not applicable

Operation

15. SECTION 15: REGULATORY INFORMATION

15.1 Federal Toxic and hazardous substances Carbon dioxide (CAS No.: 124-38-9) (29 CFR 1910; Subpart Z) National emission standards for Not listed. hazardous air pollutants (40 CFR 61.01) Title III Consolidated List of Lists Not listed. TSCA (Toxic Substance Control Carbon dioxide (CAS No.: 124-38-9) Act) CAA 602 - Ozone Depleting Not listed. Substances (ODS)

15.2 State	
State Right to Know Lists	Listed in: New Jersey, Pennsylvania, Rhode Island, Minnesota.
Proposition 65 (California)	Not listed.
15.3 Other	
OSPAR List of Chemicals for	Not listed.
Priority Action	
NTP (National Toxicology	Not listed.
Program)	
OSHA	Not listed.
(List of Highly Hazardous	
Chemicals, Toxics and	
Reactives)	



25-Jan-2017

IARC (International Agency for Not listed.

Research on Cancer)

16. SECTION 16: OTHER INFORMATION

The following sections contain 1 -16 revisions or new statements:

NFPA		HMIS	
Health	1	Health	1
Fire	0	Flammability	0
Instability	0	Physical hazards	0

LEGEND:

Hazard Pictogram(s)



GHS04

Hazard Statement(s)	H280: Contains gas under pressure; may explode if heated.
Precautionary Statement(s)	P410+P403: Protect from sunlight. Store in a well-ventilated place.

Additional Information required by Federal Standard 313 Rev. E:

Contract or Solicitation Number:	SPE4A6-16-D-0226
Prime Contractor:	Hudson Technologies, Inc.
Prime Contractor CAGE:	7DSQ0

National Stock Number (NSN): 6830002813053 Specification Reference:

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Hudson Technologies Company gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is



25-Jan-2017

prevented by law. Hudson Technologies Company accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.