

ACCORDING TO US CFR 1910.1200

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name	CARBON DIOXIDE
Synonyms	Carbonic, Carbonic Anhydride, R744, CO ₂ , Carbon Dioxide USP
CAS No.	124-38-9
EC No.	204-696-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Industrial gas.
Uses Advised Against	Not known.

1.3 Details of the supplier of the safety data sheet

Company Identification	Hudson Technologies Company
Address	PO Box 1541 One Blue Hill Plaza Pearl River, New York USA
Postal code	10965
Telephone:	+1 (800) 953 2244
Fax	+1 (845) 512 6070
E-mail	information@hudsontech.com

1.4 Emergency telephone number

Company	+1 (800) 501 4376
CHEMTREC (U.S.)	+1 (800) 424 9300
INTERNATIONAL	+1 (703) 527 3887

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

US CFR 1910.1200 Gases under pressure; Press. Gas; Liquefied gas.

2.2 Label elements

Product Name CARBON DIOXIDE

Hazard Pictogram(s)



GHS04

Signal Word(s)

Warning.

Hazard Statement(s)

H280: Contains gas under pressure; may explode if heated.
 OSHA-H01: MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.
 CGA-HG01: MAY CAUSE FROSTBITE.
 CGA-HG03: MAY INCREASE RESPIRATION AND HEART RATE.

Precautionary Statement(s)

P202: Do not handle until all safety precautions have been read and understood.
 P261: Avoid breathing gas.
 P262: Do not get in eyes, on skin, or on clothing.
 P271+P403: Use and store only outdoors or in a well-ventilated place.
 P302, P336, P315: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.
 P410+P403: Protect from sunlight. Store in a well-ventilated place.

2.3 Other hazards

May cause asphyxiation when concentrations are sufficient to reduce oxygen below safe breathing levels.
 May cause frost-bite.

2.4 Additional Information

CGA-PG05: Use a back flow preventive device in the piping.
 CGA-PG10: Use only with equipment rated for cylinder pressure.
 CGA-PG06: Close valve after each use and when empty.
 CGA-PG02: Protect from sunlight when ambient temperature exceeds 52 °C (125 °F).
 CGA-PG27: Read and follow the Safety Data Sheet (SDS) before use.
 This SDS is available in languages other than English.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT(S)	Common Names	CAS No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Carbon dioxide	Carbonic, Carbon Dioxide, Carbonic Anhydride, R744, CO2	124-38-9	100	Press. Gas, Liquefied gas; H280	GHS04

4. SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if necessary. If breathing has stopped, apply artificial respiration.

Skin Contact Flush skin with large amounts of water. Thaw frosted parts with lukewarm water. Do no rub affected area. If symptoms persist, obtain medical attention.

Eye Contact Flush eyes with water for at least 15 minutes while holding eyelids open. If symptoms persist, obtain medical attention.

Ingestion Unlikely route of exposure.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:
 High concentrations: Headache, Dizziness, Confusion, Loss of coordination, Nausea, Drowsiness, Unconsciousness.

Low concentrations: Increased respiration, Headache.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture

Contains gas under pressure; may explode if heated. Decomposes in a fire giving off toxic fumes: Carbon monoxide.

5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions. Keep containers cool by spraying with water if exposed to fire.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate area. Ensure adequate ventilation. Avoid breathing gas.
Wear suitable respiratory protection.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

6.3 Methods and material for containment and cleaning up

Allow small spillages to evaporate provided there is adequate ventilation.

6.4 Reference to other sections

See Also Section 8, 13.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Provide adequate ventilation. Avoid breathing gas. Wear suitable

respiratory protection. Do not drag, roll, slide or drop cylinders. Use a suitable hand truck design for cylinder movement. Never attempt to lift a cylinder by its cap; the cap is intended solely to protect the valve. Never insert an object into valve cap openings. Doing so may damage valve causing a leak to occur. Secure cylinders in an upright position at all times, close all valves when not in use. Keep closed even when empty. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Protect from sunlight. Store in a well-ventilated place.

Storage temperature <122°F (<50°C)

Storage life Stable under normal conditions.

Incompatible materials None known.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Carbon dioxide	124-38-9	5000	9000	30000	54000	NIOSH
Carbon dioxide	124-38-9	5 000	9 000			OSHA

Remark Footnote
 NIOSH National Institute for Occupational Safety and Health
 OSHA Occupational Safety and Health Administration

8.2 Exposure controls

Appropriate engineering controls Ensure adequate ventilation.

Personal protection equipment



Eye Protection

Wear suitable eye/face protection.



Skin protection

Wear suitable gloves.



Respiratory protection

Wear suitable respiratory protective equipment if exposure to high levels of material is likely.

Thermal hazards

Not applicable.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Gas.
	Color: Colorless.
Odor	Odorless.
Odor threshold	Not established.
pH	Not applicable.
Melting point/freezing point	-69.8°F (-56.6°C)
Initial boiling point and boiling range	-109.3°F (-78.5°C)
Flash Point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or	Not applicable.

explosive limits	
Vapor pressure	57.3bar @ 20°C (68°F)
Vapor density	1.52 (Air = 1)
Density	0.0018g/cm ³ @ 20°C (68°F)
Relative density	1.52
Solubility(ies)	Solubility (Water): Soluble. Solubility (Other): Not available.
Partition coefficient: n-octanol/water	0.83
Auto-ignition temperature	Not applicable.
Decomposition Temperature (°C)	Not applicable.
Viscosity	Not applicable.
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
9.2 Other information	None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Keep away from heat and direct sunlight.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition product(s)

No hazardous decomposition products known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion	Low acute toxicity.
Acute toxicity - Skin Contact	Low acute toxicity.
Acute toxicity - Inhalation	Low acute toxicity.
Skin corrosion/irritation	Non-irritant.
Serious eye damage/irritation	Non-irritant.
Skin sensitization data	Not classified.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	There is no evidence of mutagenic potential.
Carcinogenicity	No evidence of carcinogenicity.
Reproductive toxicity	Not classified.
Lactation	Not classified.
STOT - single exposure	None anticipated.
STOT - repeated exposure	None anticipated.
Aspiration hazard	Not classified.

11.2 Other information

Not known.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment	Not classified.
Compartment	
Toxicity - Terrestrial	Not classified.
Compartment	

12.2. Persistence and Degradation

No adverse ecological effects are expected.

12.3. Bioaccumulative potential

No adverse ecological effects are expected.

12.4. Mobility in soil

Not applicable.

12.5 Other adverse effects

Carbon dioxide: May contribute to global warming.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Containers must not be punctured or destroyed by burning, even when empty. Refer to manufacturer/supplier for information on recovery/recycling.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number

UN No. 1013

14.2 UN proper shipping name

UN proper shipping name CARBON DIOXIDE

14.3 Transport hazard class(es)

ADR/RID Class 2.2
 IMDG Class 2.2
 IMDG EMS Not available

ICAO/IATA

Excepted Quantities E1

Passenger and Cargo Aircraft

Limited Quantities Packing

Instructions

Cargo Aircraft Limited Quantities

Max net Qty

Special Provisions Not applicable

Emergency Response 2L

Guidebook (ERG) Code

ADR Classification Code 2A

ADR HIN 20

ADR Transport Category 3

Tunnel Restriction Code C/E

Emergency Action Code 2T

Advice on Additional Personal Protection (APP) Not applicable

14.4 Packing group

Packing group Not applicable

Labels 2.2



Special Provisions 584 653

Limited Quantities 120 m

Excepted Quantities E1

Mixed Packing Instructions for Packages P200

Special Packing Provisions for Packages Not applicable

Mixed Packing Instructions for Packages MP9

14.5 Environmental hazards

Environmental hazards Not classified as a Marine Pollutant.

14.6 Special precautions for user

Special precautions for user Not known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Packing Instructions for Portable (M)

Tanks

Special Provisions for Portable Tanks Not applicable

Tanks

Tank Code for Tanks PxBN(M)

Special Provisions for Tanks TA4 TT9

Vehicle for Tank Carriage AT

Special Provisions for Carriage - Packages Not applicable

Special Provisions for Carriage - Bulk Not applicable

Bulk

Special Provisions for Carriage - CV9 CV10 CV36



Loading, Unloading and Handling

Special Provisions for Carriage - Not applicable

Operation

15. SECTION 15: REGULATORY INFORMATION

15.1 Federal

Toxic and hazardous substances Carbon dioxide (CAS No.: 124-38-9)

(29 CFR 1910; Subpart Z)

National emission standards for Not listed.

hazardous air pollutants (40 CFR

61.01)

Title III Consolidated List of Lists Not listed.

TSCA (Toxic Substance Control Carbon dioxide (CAS No.: 124-38-9)

Act)

CAA 602 - Ozone Depleting Not listed.

Substances (ODS)

15.2 State

State Right to Know Lists Listed in: New Jersey, Pennsylvania, Rhode Island, Minnesota.

Proposition 65 (California) Not listed.

15.3 Other

OSPAR List of Chemicals for Not listed.

Priority Action

NTP (National Toxicology Not listed.

Program)

OSHA Not listed.

(List of Highly Hazardous

Chemicals, Toxics and

Reactives)

IARC (International Agency for Research on Cancer) Not listed.

16. SECTION 16: OTHER INFORMATION

The following sections contain 1 -16 revisions or new statements:

NFPA		HMIS	
Health	1	Health	1
Fire	0	Flammability	0
Instability	0	Physical hazards	0

LEGEND:

Hazard Pictogram(s)



GHS04

Hazard Statement(s) H280: Contains gas under pressure; may explode if heated.

Precautionary Statement(s) P410+P403: Protect from sunlight. Store in a well-ventilated place.

Additional Information required by Federal Standard 313 Rev. E:

Contract or Solicitation Number: SPE4A6-16-D-0226

Prime Contractor: Hudson Technologies, Inc.

Prime Contractor CAGE: 7DSQ0

National Stock Number (NSN): 6830014333717

Specification Reference:

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Hudson Technologies Company gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is



SAFETY DATA SHEET

25-Jan-2017

prevented by law. Hudson Technologies Company accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.