SDS ID: MAT16625



Safety Data Sheet

Material Name: NITROGEN, COMPRESSED GAS

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

NITROGEN, COMPRESSED GAS

Synonyms

MTG SDS 67; DIATOMIC NITROGEN; DINITROGEN; NITROGEN-14; NITROGEN GAS; UN 1066; N2

Chemical Family

inorganic, Gas

Product Use

Industrial and Specialty Gas Applications.

Restrictions on Use

None known.

Details of the supplier of the safety data sheet

MATHESON TRI-GAS, INC.

150 Allen Road, Suite 302

Basking Ridge, NJ 07920

General Information: 1-800-416-2505

Emergency #: 1-800-424-9300 (CHEMTREC) Outside the US: 703-527-3887 (Call collect)

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Gases Under Pressure - Compressed gas

Simple Asphyxiant

GHS Label Elements

Symbol(s)



Signal Word

Warning

Hazard Statement(s)

Contains gas under pressure; may explode if heated.

May displace oxygen and cause rapid suffocation.

Precautionary Statement(s)

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Storage

Protect from sunlight.

Store in a well-ventilated place.

Disposal

Dispose in accordance with all applicable regulations.

Other Hazards

Page 1 of 8 Issue date: 2017-01-16 Revision 3.1 Print date: 2017-01-16



Material Name: NITROGEN, COMPRESSED GAS

Rapid release of compressed gas may cause frostbite.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS							
CAS	Component Name	Percent					
7727-37-9	Nitrogen, compressed	100					
	Section 4 - FIRST AID MEASURES						

SDS ID: MAT16625

Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

Skin

If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115 F; 41-46 C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.

Eyes

Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Then get immediate medical attention.

Ingestion

If swallowed, get medical attention.

Most Important Symptoms/Effects

Acute

suffocation, frostbite

Delayed

no information on significant adverse effects.

Note to Physicians

For inhalation, consider oxygen.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Use extinguishing agents appropriate for surrounding fire.

Unsuitable Extinguishing Media

None known.

Special Hazards Arising from the Chemical

Negligible fire hazard. Pressurized containers may rupture or explode if exposed to sufficient heat.

Hazardous Combustion Products

oxides of nitrogen

Fire Fighting Measures

Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Do not direct water at source of leak or safety devices; icing may occur. Stay away from the ends of tanks. For tank, rail car or tank truck, evacuation radius: 800 meters (1/2 mile). Use extinguishing agents appropriate for surrounding fire. Apply water from a protected location or from a safe distance. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. Reduce vapors with water spray. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Consider downwind evacuation if material is leaking.

Special Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

Page 2 of 8 Issue date: 2017-01-16 Revision 3.1 Print date: 2017-01-16



Material Name: NITROGEN, COMPRESSED GAS

Section 6 - ACCIDENTAL RELEASE MEASURES

SDS ID: MAT16625

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Stop leak if possible without personal risk. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas. Do not touch or walk through spilled material. If possible, turn leaking containers so that gas escapes rather than liquid. Do not direct water at spill or source of leak, Allow substance to evaporate. Ventilate closed spaces before entering.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Avoid breathing dust/fume/gas/mist/vapors/spray. Use only with adequate ventilation. Wash hands thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

Protect from sunlight.

Store in a well-ventilated place.

Store and handle in accordance with all current regulations and standards. Subject to storage regulations: U.S.

OSHA 29 CFR 1910.101. Keep separated from incompatible substances.

Incompatible Materials

metals, oxidizing materials

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Nitrogen, compressed	7727-37-9								
ACGIH:	(See Appendix F: Minimal Oxygen Content)								

EU - Occupational Exposure (98/24/EC) - Binding Biological Limit Values and Health Surveillance Measures

There are no biological limit values for any of this product's components.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Individual Protection Measures, such as Personal Protective Equipment

Eve/face protection

For the gas: Eye protection not required, but recommended. For the liquid: Wear splash resistant safety glasses.

Skin Protection

For the gas: Protective clothing is not required. For the liquid: Wear appropriate protective, cold insulating clothing.

Respiratory Protection

Under conditions of frequent use or heavy exposure, respiratory protection may be needed. Respiratory protection is ranked in order from minimum to maximum. Consider warning properties before use. Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode. Any selfcontained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positivepressure mode.

Glove Recommendations

For the gas: Protective gloves are not required. For the liquid: Wear insulated gloves.

Page 3 of 8 Issue date: 2017-01-16 Revision 3.1 Print date: 2017-01-16



SDS ID: MAT16625

Material Name: NITROGEN, COMPRESSED GAS

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES									
Appearance	colorless gas	Physical State	gas						
Odor	odorless	Color	colorless						
Odor Threshold	Not available	рН	Not available						
Melting Point	-210 °C (-346 °F)	Boiling Point	-196 °C (-321 °F)						
Boiling Point Range	Not available	Freezing point	Not available						
Evaporation Rate	Not available	Flammability (solid, gas)	Not flammable						
Autoignition Temperature	Not available	Flash Point	Not available						
Lower Explosive Limit	Not available	Decomposition temperature	Not available						
Upper Explosive Limit	Not available	Vapor Pressure	760 mmHg @ -196 °C						
Vapor Density (air=1)	0.967	Specific Gravity (water=1)	Not available						
Water Solubility	1.6 % (@ 20 °C)	Partition coefficient: n-octanol/water	Not available						
Viscosity	0.01787 ср	Solubility (Other)	Not available						
Density	1.2506 g/L	Log KOW	0.67						
Physical Form	compressed gas	Taste	tasteless						
Volatility	100 %	Molecular Formula	N2						
Molecular Weight	28.0134	Critical Temperature	-147.1 °C						

Solvent Solubility

Soluble

liquid ammonia

Slightly Soluble

alcohol

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

Protect from physical damage and heat. Containers may rupture or explode if exposed to heat.

Incompatible Materials

metals, oxidizing materials

Page 4 of 8 Issue date: 2017-01-16 Revision 3.1 Print date: 2017-01-16



Material Name: NITROGEN, COMPRESSED GAS

Hazardous decomposition products

oxides of nitrogen

Section 11 - TOXICOLOGICAL INFORMATION

SDS ID: MAT16625

Information on Likely Routes of Exposure

Inhalation

nausea, vomiting, difficulty breathing, headache, drowsiness, dizziness, tingling sensation, loss of coordination, convulsions, coma

Skin Contact

frostbite

Eve Contact

irritation, frostbite

Ingestion

ingestion of a gas is unlikely

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified

Product Toxicity Data

Acute Toxicity Estimate

No data available.

Immediate Effects

suffocation, frostbite

Delayed Effects

no information on significant adverse effects.

Irritation/Corrosivity Data

No animal testing data available for skin or eyes.

Respiratory Sensitization

No data available.

Dermal Sensitization

No data available.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

Germ Cell Mutagenicity

No data available.

Tumorigenic Data

No data available

Reproductive Toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

Not applicable.

Medical Conditions Aggravated by Exposure

None known.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity



Material Name: NITROGEN, COMPRESSED GAS

No LOLI ecotoxicity data are available for this product's components

Persistence and Degradability

No data available.

Bioaccumulative Potential

No data available.

Mobility

No data available.

Section 13 - DISPOSAL CONSIDERATIONS

SDS ID: MAT16625

Disposal Methods

Dispose in accordance with all applicable regulations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components

Section 14 - TRANSPORT INFORMATION

US DOT Information:

Shipping Name: NITROGEN, COMPRESSED

Hazard Class: 2.2 UN/NA #: UN1066 Required Label(s): 2.2

IMDG Information:

Shipping Name: NITROGEN, COMPRESSED

Hazard Class: 2.2 UN#: UN1066 Required Label(s): 2.2

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) 2016 reporting categories Acute Health: Yes Chronic Health: No Fire: No Pressure: Yes Reactivity: No SARA Section 311/312 (40 CFR 370 Subparts B and C) 2017 reporting categories

Gas Under Pressure; Simple Asphyxiant

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Nitrogen, compressed	7727-37-9	No	Yes	Yes	Yes	Yes

Not listed under California Proposition 65

Canada Regulations

Canadian WHMIS Ingredient Disclosure List (IDL)

The components of this product are either not listed on the IDL or are present below the threshold limit listed on the IDL.

WHMIS Classification

Α

Component Analysis - Inventory Nitrogen, compressed (7727-37-9)



Material Name: NITROGEN, COMPRESSED GAS

US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL					No	Yes			Yes	Yes	Yes	Yes

SDS ID: MAT16625

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 0 Fire: 0 Reactivity: 0 Other: SA

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes Updated: 12/13/2016

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU -Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CFR - Code of Federal Regulations (US); CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG -Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN -European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA -Environmental Protection Agency: EU - European Union: F - Fahrenheit: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL -Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM -ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL -Maximum Exposure Limits; MX - Mexico; NDSL - Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA -Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); WHMIS -Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

Matheson Tri-Gas, Inc. makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Matheson Tri-Gas, Inc. shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.

Page 7 of 8 Issue date: 2017-01-16 Revision 3.1 Print date: 2017-01-16



Material Name: NITROGEN, COMPRESSED GAS SDS ID: MAT16625